

Accessibility A solution for every barrier

VIMEC
Easy moving



Platform stairlifts

V64 *for straight stairs*

V65 *for curved stairs*



V64

Accessibility to all public and private locations, in complete **safety** thanks to this **straight stairlift**

The V64 stairlift with wheelchair platform, travelling on a straight rail (ideal for one flight of stairs), is exceptionally safe and convenient.

Flexible

The V64 is available in three models:

standard - with compact platform for installation on small-sized staircases and landings;

large - with larger platform for wheelchairs with specific space requirements;

extralarge - with oversized platform to meet all transportation needs.

Versatile

Installation of the V64 does not require **any building work** and does not interfere with the interior design style.

Strong and reliable

The V64 is suitable for both indoor and outdoor installation, thanks to design features that ensure a long working life and unbeatable performance even in problematical weather conditions.

Technology with convenience

The V64 has radio control, state-of-the-art active and passive personal protection devices, and retractable safety arms to reduce space occupation when the unit is not in use.



The V64 stairlift ensures full independence and safety to the user, thanks to its simplicity and technology



Standard outfit

- Controls protected against unintentional use, and of the constant pressure type
- Removable key
- Emergency stop
- Manual emergency manoeuvre
- Progressively operated mechanical safety gear
- Speed limiter
- Automatic protector panels
- Supporting handle
- Electric safety limit switches
- Shock-absorbing, anti-shearing, anti-crushing devices

Optionals

- Protective cover
- Automated platform folding device
- Special size platform
- Sound signal for movement
- Blinking light signal
- Foldable seat
- Remote control post
- Radio controls
- Retracting bars



V64 - INDOOR AND OUTDOOR MODEL

		STANDARD	LARGE	EXTRA LARGE
Minimum stair width	mm	970	1040	1070
Tolerated gradient	degrees	From 0 to 50°	From 0 to 50°	From 0 to 50°
Minimum size of rail	mm	100	100	100
Minimum size with folded platform	mm	370	370	370
Platform dimensions		830x700	1050x770	1250x800
Capacity up to 45°		230 kg	230 kg	230 Kg
Capacity beyond 45°		200 Kg	200 Kg	200 Kg
Speed		5 m / min.	5 m / min.	5 m / min.
Power supply		230 Volts	230 Volts	230 Volts
Power consumption		0,75 Kw	0,75 Kw	0,75 Kw

(*) the data refer to the version without seat and without frontal access.
The data are indicative and not binding. Vimec reserves the right to make any modifications considered necessary.



The V64 and V65 stairlifts represent the evolution of almost thirty years of Vimec's experience in the accessibility; the thousands of installation in Italy and worldwide testify the spread of solutions always appreciated for reliability and versatility





V65

V65 - Accessibility to all public and private locations, in complete **safety** thanks to this **stairlift with turns**. The V65 stairlift with wheelchair platform, **with turns** (ideal for several flights of stairs), is exceptionally safe and convenient.

The V65 is able to tackle **constant or variable gradients**, adapting to the variation in incline of a landing or flight of stairs.

Flexible

The V65 is available in three models:

standard - with compact platform for installation on small-sized staircases and landings;

large - with larger platform for wheelchairs with specific space requirements;

extralarge - with oversized platform to meet all transportation needs.

Versatile

Installation of the V65 does not require **any building work** and does not interfere with the interior design style.

Quiet and energy-saving

Thanks to a latest-generation power supply unit that guarantees outstanding **energy saving**, the V65 recharges its batteries during descent, maintaining unrivalled standards of **smooth, quiet operation**.

Strong and reliable

The V65 is suitable for **both indoor and outdoor installation**, thanks to design features that ensure a long working life and unbeatable performance even in problematical weather conditions.

Technology and safety with convenience

The V65 has radio control, state-of-the-art active and passive personal protection devices, and retractable safety arms to reduce space occupation when the unit is not in use.





Vimec installations take place in prestigious international museums, subways, banks, restaurants overcoming slopes and barriers of all kinds





The V65 stairlift ensures comfort and safety over any kind of path



- 1) V65 with retracting bars
- 2) V65 with independent bars



Standard outfit

- Controls protected against unintentional use, and of the constant pressure type
- Removable key
- Emergency stop
- Manual emergency manoeuvre
- Progressively operated mechanical safety gear
- Speed limiter
- Automatic protector panels
- Supporting handle
- Electric safety limit switches
- Shock-absorbing, anti-shearing, anti-crushing devices
- Blackout emergency device

Optionals

- Protective cover
- Automated platform folding device
- Special size platform
- Sound signal for movement
- Blinking light signal
- Intermediate stops
- Foldable seat
- Retracting bars that fit into the actual body of the machine (excluding 1250x800 platform)
- Remote control post
- Radio controls

	V65 - INDOOR AND OUTDOOR MODEL			
		STANDARD	LARGE	EXTRA LARGE
Minimum curved stair width	mm	1130	1250	1320
Tolerated gradient	degrees	From 0 to 50°	From 0 to 50°	From 0 to 50°
Minimum size of rail	mm	160	160	160
Minimum size with folded platform	mm	430	430	430
Platform dimensions		830x700	1050x770	1250x800
Capacity up to 45°		230 kg	230 kg	230 Kg
Capacity beyond 45°		200 Kg	200 Kg	200 Kg
Speed		8 m / min.	8 m / min.	8 m / min.
Power supply		230 Volts	230 Volts	230 Volts
Power consumption		1 Kw	1 Kw	1 Kw

(*) the data refer to the version without seat and without frontal access.
The data are indicative and not binding. Vimec reserves the right to make any modifications considered necessary.



Vimec s.r.l. - Via Parri, 7 - 42045 Luzzara - Reggio Emilia - Italy

Tel. + 39 0522 970 666 Fax +39 0522 970918

www.vimec.biz info@vimec.biz

Vimec abroad: Madrid (Spain), London (United Kingdom),

Avignon (France), Warsaw (Poland)



COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV
=UNI EN ISO 9001/2000=

Product guaranteed

Vimec's stairlift is guaranteed for 24 months from the date of installation.



At partners' service

Partner Support Program: a Vimec exclusive for its partners, aiming to supply each of them, all over the world, with a series of personalised tools for developing their business and offering the end user a better and better service. This program includes an introduction to the concepts of "accessibility", specific classroom training courses and training in the field for sales staff and engineers, analysis and assistance for the development of the most appropriate market strategies, and backup for the organisation of seminars (e.g. for architects, civil engineering firms, etc.) and for participation at trade fairs. Close co-operation with its partners guarantees Vimec constant improvement of its degree of knowledge of the various markets and thus of their varying needs in terms of accessibility, which translates into the design of suitable products. All oriented towards better management of customer relations, and the achievement of full customer satisfaction.